


otl




CONTENTS

1	Icon Glossary	39	OTL Linear
3	About OTL	41	OTL Linear Components
4	Why Use OTL?	43	OTL Linear How To Order
5	FSC Certified	45	OTL Linear Bespoke Service
7	Planning Your Wet Room	47	OTL Level Access
9	OTL Fall Gradients	49	OTL Level Access Components
12	Bespoke Former Service	51	OTL Level Access How To Order
13	Our Products	53	OTL Level Access Bespoke Service
15	OTL Infinity I-Line	54	OTL Level Access Accessories
18	OTL Infinity Components	55	Formers For Resin
19	OTL Infinity How to Order	57	Resin Components
21	OTL Infinity Bespoke Service	59	Resin How To Order
23	SuperSlim Tile In	61	Complete Floors
25	SuperSlim Components	63	OTL Tanking
27	SuperSlim How To Order	65	OTL Tanking Kits
29	SuperSlim Bespoke Service	66	OTL Tanking Accessories
31	OTL Square	67	OTL Anti-Ligature
33	OTL Square Components	69	Gullies
35	OTL Square How To Order	75	Section Through
37	OTL Square Bespoke Service	79	Product Codes
38	OTL Square Gratings	90	Contact

ICON GLOSSARY

-  Tiled Floors
-  Your Perfect Partner
-  High Standard Product
-  Brushed or Polished
-  46 LPM Flow Rate
-  Technical Advice Available
-  Manufactured in England
-  Easy to Clean
-  Only 24mm Thick
-  All Floor Types
-  Customer Service
-  Contact Us
-  Colour Match Options Available
-  CAD Drawings Available
-  Easy Installation
-  Lifetime Guarantee
-  Bespoke Available
-  Stock Sizes Available
-  Made to Order
-  Tile-In Option Available
-  Vinyl Only
-  Next Working Day (Delivery)
-  50 LPM Flow Rate
-  Important



ABOUT OTL

ON THE LEVEL. SPECIALIST WET ROOM FLOOR MANUFACTURER.

WHO ARE WE?

On The Level are a specialist wet room floor manufacturer, based in Leighton Buzzard, Bedfordshire. We are a family run, customer-centric company who have grown their customer base steadily over the last 15 years.

WHAT DO WE DO?

We design and manufacture concealed shower trays (formers) from sustainably sourced birch ply; a tough and dependable product, something which architects and installers look for time and time again. When used with our tanking system and drainage system, our formers bring the ultimate solution for water control within a wet room or showering area.

HOW DO WE DO IT?

Using state-of-the-art machinery, we are able to manufacture shower formers of almost any shape or size. Once made, the formers are hand-finished by our skilled craftsmen in-house using traditional methods, and are quality checked before being dispatched. We work with you to perfect your design and can also create CAD drawings from a rough sketch if required.



ADVANTAGES OF HAVING A WET ROOM.

- Space saving – even the smallest space can become a wet room.
- Easy to use – practical showering for everyone.
- This modern concept can revitalise the look of any bathroom.
- Allows for a bigger scope of design options.
- Brings the wow factor to any bathroom.
- Adds value to your property.
- Fully waterproofs your bathroom floor.

THINGS TO CONSIDER

- 1 What is your wet room style preference?
- 2 What floor finish will you have?
- 3 What is your floor build-up?

WHY USE OTL?

OTL – YOUR PERFECT PARTNER FOR ALL WET ROOM PROJECTS.

Wet rooms have become the most desired showering solution for contemporary living and their ability to fit almost any bathroom makes them the obvious choice.

On The Level have over 30 years' experience working in the industry, so when working with us, we'll use our experience and technical know-how to overcome challenges to help you create your dream wet room.

We provide shower floor solutions for:

Sectors

- Care Homes
- Hospitals
- Hotels
- Leisure
- Local Authority
- MOD
- Residential
- Student Accommodation

Clients

- Architects
- Designers
- Developers
- Home Owners
- Main Contractors
- M&E Consultants
- Modular Builders
- Pod Manufacturers

Our technical advice helpline is on hand to anyone installing a wet room. Builders, homeowners, and developers routinely rely on our expertise, and we are happy to talk through any aspect of installing your wet room. Our systems are varied and versatile, and unlike a traditional bathroom, wet rooms can fit almost anywhere and are the best way of utilising a small space.



All OTL formers can be installed into any floor build-up; timber joists, concrete, floating floors etc

WE'RE FSC® CERTIFIED

WE BELIEVE IN SUSTAINABILITY AND PROVIDING QUALITY, RESPONSIBLY SOURCED PRODUCTS.

The Forest Stewardship Council® (FSC) ensures the following two components are met:

- Forest management
- Chain of custody

The FSC works hard to help retailers and products become certified. This allows consumers to easily identify and purchase products which they know have been sourced from well maintained and managed forests.

WHAT DOES THIS MEAN FOR CUSTOMERS?

We believe in caring for the environment and as such we decided to go FSC certified so that we can always be sure of where our materials originate from. By using FSC certified products, we are doing our bit to help sustainability and provide a quality product to our customers which is fully traceable and positively contributes towards our clients' corporate social responsibility.




MADE IN BRITAIN

All our formers are made by our skilled craftsmen right here in the UK at our Bedfordshire factory. What's more, they are hand finished and quality checked on-site before being sent out to customers, providing you with a product and service you know you can rely on.



LEADING THE WAY IN WET ROOM FLOOR MANUFACTURING



PLANNING YOUR WET ROOM

CHOOSING YOUR IDEAL WET ROOM

Installing and creating a wet room is easy. Once you've chosen the style of wet room and you've chosen the floor covering, be it tiles or vinyl sheet flooring, all you need are a few simple dimensions to select either a standard or bespoke size former. Our large stock range is available next working day, and a bespoke OTL former to suit your exact requirements can be with you in 5-7 working days.



SHOWER SCREENS - DO YOU NEED ONE?

In the UK a standard size shower can range between 900mm x 900mm to 1500mm x 900mm. A simple glass panel can be installed to retain a lot of the splash water which is projected outside the 'shower zone' when in use. A showering area of 1500mm x 1500mm or larger will not require any glass screen or enclosure (providing you install a former of the same size).




EXTEND THE FALLS

It's important to make best use of the space you have. The idea of a wet room is to capture as much water as you can, so the larger you're able to make the former, the better.


PLANNING AND MEASURING

We only need four measurements to manufacture a former, these are:

- A Length of shower area
- B Width of shower area
- C Centre of waste from width edge
- D Centre of waste from length edge




Example is relevant to square grating only.



WANT TO ORDER A WET ROOM FORMER? IT'S SIMPLE, JUST FOLLOW THESE STEPS:


1. Choose your style from our product pages
2. Choose the size of your showering area
3. Choose your floor finish; tiles or vinyl sheet flooring?
4. Leave the rest to us!

FIND OUT MORE, GET IN TOUCH ON
01525 373 202




OTL FALL GRADIENTS

We manufacture formers with various different 'falls' built in. A fall is a gradient which creates a path down which water can flow and different falls are better suited to different floor finishes.




1-WAY FALL

Only found on the OTL INFINITY I-Line, all water is directed towards the channel edging the wall, allowing for an easy tiling process. Not suitable for use with mosaic tiles but perfect for large format and standard tiling.



2-WAY FALL


Two integrated fall gradients which encourage water to move towards the drain. Best for use with large format tiles and suits the OTL Linear and SuperSlim styles well.



4-WAY FALL

For use with large formats and mosaic tiles, the 4-way integrated falls come from each corner of the former and work well with larger bathroom floor areas.





BESPOKE FORMER SERVICE

Manufacturing bespoke formers and drainage systems is a key part of our success. We can create a former in any shape or size to suit your requirements and change waste positions to suit configurations and layouts.

HOW LONG WILL IT TAKE?

With a quick 5-7 working day turnaround on formers you can be sure that this lead time will not hold up construction work on your project.

WHAT DOES IT COST?

Although made bespoke, there is only a small difference in the price when compared to a standard size former. Our price bandings are set by former size, so you'll know what you will pay up front.

WHY MIGHT I NEED BESPOKE?

Below are some of the most common scenarios that require a bespoke former.

1. There is not a stock size former that will suit the size you're looking for.
2. You are looking to fast-track your project time.
3. We can move the waste position to suit your floor layout to avoid clashing with joists, pipes or any other unexpected obstacles underneath the floor.
4. For unique projects e.g. multiple showers within changing rooms, volumetric, or modular buildings.



For help measuring your bespoke floor, please see the individual product style sections.


OUR PRODUCTS



OTL INFINITY I-LINE

Featuring an almost invisible 8mm gap, the INFINITY I-Line is elegant, subtle, and creates more standing space in any shower area.

See page 15.



OTL SUPERSLIM TILE-IN

One of our best-selling styles - two styles in one! Choose from a stainless steel finish or flip the channel over and fill with a tile insert to match the rest of the floor.

See page 23.



OTL LINEAR

The best choice for anyone wanting to use large format tiles, the OTL Linear offers a sleek, classical design for any wet room.

See page 39.



OTL SQUARE

The longest lasting/original wet room design. Perfect for use with mosaic tiles, the OTL Square is best used in smaller shower areas. Also compatible with large format tiles.


See page 31.



OTL LEVEL ACCESS

Only to be used with vinyl sheet flooring, Level Access is the perfect choice for accessible bathroom needs such as hospitals, hotels and care homes as well as high traffic areas including gyms and student accommodation.

See page 47.



OTL FLOORS FOR EPOXY RESIN

Our formers are suitable for epoxy resin finishes to suit the most demanding cleaning. They are easily installed into most floor types. Manufactured upon request.

See page 55.

OTL COMPLETE FLOOR SYSTEMS

Two uniquely separate concepts from our standard product range, the OTL complete floors come in two styles; the OTL Modular, and the OTL Ultimate. These floors lend themselves well to large scale and commercial projects.

See page 61



OTL INFINITY I-LINE

THE ULTIMATE IN LUXURY SHOWER SYSTEMS.

THE OTL INFINITY I-LINE SHOWER SOLUTION IS SO DISCRETE IT ALMOST DISAPPEARS.

The super stylish 'INFINITY I-Line' is the perfect wet floor system for the design-conscious. It's clever yet simple design is ideal when using a large format tile or large slab materials.

The subtle 8mm I-Line water outlet channel is barely visible, and it's also really simple to keep clean!

WHY USE INFINITY I-LINE?

- Perfect for the design-conscious
- Sleek 8mm water channel
- Comes as a complete system including former, channel and tanking kit
- Easy to keep clean
- Compatible with all floor types - timber joists, concrete etc.
- Space saving - creates a greater standing area
- Standard sizes and a bespoke service available



The **8mm** gap is so discrete, it almost disappears.



otl | INFINITY
I-LINE

OTL INFINITY I-LINE COMPONENTS



CHANNEL

The INFINITY I-Line channel provides the ultimate in streamlined, luxury wet room design.



GULLY

The ST90-70B gully comes as standard and provides a 42 LPM flow rate.



INFINITY FORMER

Available in stock or bespoke sizes, the INFINITY I-Line is suitable for most bathroom sizes and features a 16mm integrated, one-way fall.

OTL INFINITY I-LINE

HOW TO ORDER


1. CHOOSE YOUR CONFIGURATION

Will the waste channel be on the left or the right-hand side of the shower?



2. CHOOSE YOUR CHANNEL SIZE

Choose the correct width for your waste channel.




3. CHOOSE YOUR FORMER SIZE

Our standard formers come in a range of stock sizes to fit our INFINITY channels.

Remember to let us know if you want left or right hand configuration.

See page 79 for more information.



KIT IT UP

Remember to add 'KIT' to the end of your order code to get the full package to take you up to tiling stage.

e.g. INFFORM 12/8 LH8 KIT

All INFINITY I-Line channels are supplied with:

- 42 LPM horizontal gully
- 2 x 8mm spacing blocks
- Installation instructions
- Cleaning & maintenance tools

OTL INFINITY I-LINE

BESPOKE SERVICE

INFINITY I-Line formers and channels are available in bespoke sizes to fit your project.


WHY MIGHT I NEED BESPOKE?

If you have a wider than average showering area, or if you need to fit the INFINITY I-Line in an alcove, then our bespoke service will suit you.

BESPOKE FORMER OPTIONS:

- We can manufacture bespoke INFINITY I-Line formers to any size, from 600mm up to 2400mm in width.
- We can produce a bespoke former in a thicker material - up to 30mm thick, ideal for longer shower floors.

HOW TO MEASURE A BESPOKE INFINITY FORMER.




A = Length of shower area (max 1500mm)

B = Width of shower area (excluding trimmable shoulders)

C = Width of shower area (including trimmable shoulders)

BESPOKE CHANNEL OPTIONS:


- For extra-large projects, try a dual-outlet channel; perfect for longer shower areas or high-pressure shower heads.
- Bespoke colour match is also available for INFINITY I-Line.
- Single outlet channels available up to 2000mm.
- Dual outlet channels available up to 2400mm.



Gloss Black Infinity Channel

**CONTACT US TO DISCUSS
YOUR BESPOKE ORDER**

01525 373 202



OTL SUPERSLIM TILE-IN

A great feature for any modern wet room, the superslim tile-in has two great looks to choose from; a stainless steel finish, or a tile insert to compliment the rest of the floor.

ABOUT SUPERSLIM TILE-IN

One of our most popular products providing versatility and a clean-lined finish.

- Modern, minimalist option for any wet room
- Reversible, tile-in grating
- SuperSlim Channels available in a range of sizes up to 1200mm
- Sold as a complete system; channel, former, and tanking kit

otl SUPERSLIM



ADVANTAGES FOR THE INSTALLER

- Bespoke available
- Easy to install and supplied with full installation instructions
- Flow rate of up to 50 LPM
- 2-in-1 design
- Technical helpline on-hand

ADVANTAGES FOR THE USER

- Choose from two looks; tiled top or highly polished stainless steel
- Easy to clean and low maintenance
- Modern, stylish design
- Helpline always on hand – before and after purchase

OTL SUPERSLIM TILE-IN COMPONENTS




TILE-IN CHANNEL

- Easily reversed for a different look
- Tiled finish or stainless steel




GULLY

- ST90 adaptation gully as standard
- Flow rate of up to 50 LPM



FORMER

- 2-way or 4-way fall options
- Stock sizes and bespoke available



OTL SUPERSLIM TILE-IN


HOW TO ORDER

1 CHOOSE YOUR FORMER SIZE


The channel size you require will be dictated by default depending on the former size. Check the table on page 81 for our standard stock sizes.

2 CHOOSE EITHER A 2-WAY FALL OR 4-WAY FALL

Cut away Image shows 2-way fall example.



2-WAY FALL



4-WAY FALL



MANUFACTURED FROM A HIGH-GRADE STAINLESS STEEL, THE SUPERSLIM CHANNELS ARE AVAILABLE IN STOCK SIZES ONLY. MEASURING 43MM WIDE, THEY ARE THE PERFECT FIT FOR ANY STYLISH WET ROOM.

KIT IT UP

Remember to add 'KIT' to the end of your order code to get the full package to take you up to tiling stage.

e.g. SS2FORM 10/10 KIT

CONTACT US TODAY TO ORDER
01525 373 202



OTL SUPERSLIM TILE-IN


BESPOKE FORMERS

Our bespoke formers are available in 3 size ranges, please see page 81 for more information.

WHY MIGHT I NEED A BESPOKE FORMER?

- Can be manufactured to fit oversized shower areas
- Bespoke formers can be produced in material up to 30mm thick rather than the standard 24mm for longer shower areas
- For very large showering areas, we can manufacture Superslim formers with multiple outlets

MEASURING FOR A BESPOKE LINEAR FORMER



- A Length of former
- B Width of former (excluding trimming area)
- C Width of former including trimming area
- D Length of linear channel (dictated by the former size chosen)

Bespoke formers available with 2-way and 4-way falls



Image shows a bespoke 2-way fall former with dual outlets

OTL SQUARE

THE CLASSIC WET ROOM SOLUTION

- The classic OTL Square design is the most versatile of our systems. Choose from a brushed or polished stainless steel finish.

ADVANTAGES

- Perfect for mosaic tiles (can also be used with large format tiles*)
- For tile thickness between 5mm and 20mm
- A choice of 8 grating designs available, as well as bespoke colour match
- Bespoke formers available delivered within 5-7 working days
- Extremely versatile
- Bespoke formers provide the flexibility of positioning the gully to avoid joists or any other obstruction

*When using large format tiles, be sure to mitre the cuts.



Image shows a bespoke matt black slotted design square grating




OUR INNOVATIVE, PRACTICAL AND EASY TO INSTALL PRODUCTS ARE SUITABLE FOR ANY SPACE, SO IT'S ONLY YOUR IMAGINATION THAT HOLDS YOU BACK.

BESPOKE GRATINGS FOR OTL SQUARE LEVEL ACCESS SHOWERS

OTL offer a bespoke colour match for your gratings!

FIND OUT MORE, GET IN TOUCH ON
01525 373 202



OTL SQUARE COMPONENTS




SQUARE GRATING

- 150 x 150 x 5mm solid stainless steel grating and frame
- Custom design available
- Colour match available
- Polished or brushed



GULLY

- 46 LPM
- Easy cleaning
- 2" - 1 1/2" reducer
- 100mm Depth
- TSG50BLK comes as standard



FORMER

- 24mm former with 16mm gradient
- Point load tested to over 600kg
- Bespoke formers available
- Dual outlet available



Image shows a classic polished square grating in HP Round design.

OTL SQUARE

HOW TO ORDER

1. CHOOSE YOUR CONFIGURATION

Do you need a horizontal or vertical gully?

2. CHOOSE YOUR GRATING

Choose your favourite grating style from our selection on page 37.

3. CHOOSE YOUR FORMER SIZE


Our standard formers come in a range of stock sizes and are available next working day when ordered before 2pm.



KIT IT UP

Remember to add 'KIT' to the end of your order code to get the full package to take you up to tiling stage.

e.g. SGFORM15/9 KIT



OTL SQUARE


BESPOKE FORMER

Our bespoke formers are available in 3 size ranges, please see page 83 for more information.

HOW TO MEASURE FOR BESPOKE

We only need four measurements to manufacture a bespoke square former, these are:

- A Length of shower area
- B Width of shower area
- C Centre of waste from width edge
- D Centre of waste from length edge



Example is relevant to square grating only.



OTL SQUARE GRATINGS

We offer a range of gratings to suit your taste; with standard and upgraded options available there's something for everyone, or you could go a step further and try our bespoke colour match service for a truly unique look.

STANDARD Brushed Stainless Steel Gratings.



OTL SLOTTED



OTL ROUND



OTL PEBBLE



OTL LARGE CIRCLE

UPGRADES Highly Polished Stainless Steel Gratings.



OTL HP SLOTTED



OTL HP ROUND




OTL HP SLOPED



OTL HP LARGE CIRCLE


BESPOKE Available in a range of colours and finishes, please contact us to discuss your requirements.




GOLD PLATE



MATT BLACK



COLOUR MATCH BLUE



COLOUR MATCH ORANGE

OTL LINEAR

STRAIGHTFORWARD DESIGN

Our versatile linear channel fits into any wet room, regardless of style or theme. Its elegant design allows it to seamlessly fit in with the contours of the shower area and tiles.

TIMELESS

With its traditional style, the OTL Linear system is supplied complete with a choice of three highly polished stainless steel gratings.


FEATURES

- Manufactured from grade 316 stainless steel
- Two different gully options
- Compatible with tiles up to 25mm thick
- Preformed gradient ensures efficient drainage
- Three grating designs



STOCK SIZE FORMERS

Our stock size formers are available for next working day delivery.



2-WAY FALL

Formers with two-way falls are perfect for use with large format tiles as you won't need to mitre the cuts.

Don't forget your tanking kit!
See page 85 for more details.

OTL LINEAR COMPONENTS




CHANNEL & GRATING

- Contemporary designs to choose from
- High grade stainless steel




GULLY

- Horizontal or vertical to suit your floor layout
- Pumped gullies available for floors with less clearance
- TSG50LN is supplied as standard



FORMER

- Available in stock sizes or bespoke
- Stock available next working day



STOCK SIZES
AVAILABLE



NEXT WORKING
DAY DELIVERY

CHOOSE FROM THE THREE GRATING STYLES BELOW TO
COMPLIMENT YOUR BATHROOM DESIGN



CASPER

A stainless steel grating with a classic linear slot design.



ATHENA

A contemporary stainless steel grate with a bubble design.



CADIS

A stylish, plain, stainless steel plate.

OTL LINEAR

HOW TO ORDER

1. CHOOSE YOUR FORMER SIZE

Measure up your shower area to see what former size you need, our complete stock former sizes can be seen on page 85.

2. CHOOSE YOUR CHANNEL LENGTH



Go to page 85 to look at our OTL linear Channel lengths.

3. HORIZONTAL OR VERTICAL GULLY?

Choose between a horizontal and vertical gully to suit the floor layout.

4. DON'T FORGET YOUR TANKING KIT

Complete the package with the OTL Linear Tanking Kit. See page 63 to see what we offer.



KIT IT UP

Remember to add 'KIT' to the end of your order code to get the full package to take you up to tiling stage.

e.g. LIN2FORM9/10 KIT

OTL LINEAR

BESPOKE FORMER

MEASURING FOR A BESPOKE LINEAR FORMER

There are just four measurements we need to create your bespoke former.

- A Length of former
- B Width of former (excluding trimming area)
- C Width of former including trimming area
- D Length of linear channel (dictated by the former size chosen)




Image shows Linear wet room with dual outlet

BESPOKE LINEAR CHANNELS

Our bespoke service gives greater versatility to our customers. We produce linear channels in almost any length and with multiple outlets as required for draining large volumes of water.

Linear channels are supplied with a horizontal outlet gully as standard, and vertical gullies are also available, please call us to discuss your project.




OTL TSG 50 LN



OTL TSG 2 LN

CONTACT US TODAY TO ORDER
01525 373 202



OTL LEVEL ACCESS

WHAT IS OTL LEVEL ACCESS?

Level Access is the term we use for our formers which are compatible with vinyl sheet flooring. Much of the time this is the product used for accessible bathrooms in private residences, hospitals, and student accommodation. Manufactured with safety in mind the OTL Level Access formers are low maintenance, easy to clean, and hygienic.



**ONLY FOR USE WITH
VINYL SHEET FLOORING**

MAIN FEATURES


- Only 24mm thick at the perimeter edges
- Rebated edges mean the overlapping joints give extra strength
- Point load tested to over 600kg
- Easily trimmed by up to 50mm off either edge
- No preformed holes - can be secured by installer where necessary

BENEFITS OF LEVEL ACCESS


- Can be scribed into almost any angle
- Our 1500, 1700 and 1800 formers feature a fall over the complete wet area - making it easier for wheelchair use
- Builder friendly, user friendly, and easy to install



LIFETIME
GUARANTEE



OTL LEVEL ACCESS COMPONENTS



FORMER

- Stock sizes available next working day
- Compatible with heavy loads including wheelchairs and mechanical beds



GULLY

- TSG52/116 Horizontal Outlet as standard
- Other Gully Options Available

IMPORTANT:
NO TANKING IS NEEDED AS
THE VINYL SHEET ACTS AS THE
COMPLETE WATER BARRIER.



OTL LEVEL ACCESS

HOW TO ORDER

1 - CHOOSE FORMER SIZE

All our stock sizes can be found on page 87.


2 - CHOOSE GULLY

With several to choose from, give us a call to find out which one is right for your project. TSG52/116 supplied as standard

3 - CALL US TO ORDER

REMEMBER, THERE'S NO NEED TO TANK OUR LEVEL ACCESS FORMERS


IMPORTANT: OTL RECOMMENDS USING A PROFESSIONAL VINYL FITTER TO LAY THE VINYL SHEET FLOORING.



KIT IT UP

Remember to add 'KIT' to the end of your order code to get the full package to take you up to tiling stage.

e.g. LAFORM12/8 KIT



Length A x Width B

STOCK SIZE FORMERS

All formers are supplied with a horizontal outlet gully as standard and include delivery within the UK.

GULLY OPTIONS

All stock size level access formers are supplied with a TSG 52 (116) WH horizontal outlet as standard, however we also have the option of supplying a TSG 2 WH vertical gully.



Please note: It's unlikely a shower screen will be required when using a former of this size as the majority of splash water will be caught by the fall in the former.



OTL LEVEL ACCESS

BESPOKE FORMERS


Obstacles such as central heating pipes, gas pipes, odd joists etc. can all pose a problem to what should be an easy install. Luckily, our specialists are used to all these scenarios, and can talk you through the best solution for your project.

Available in 5-7 working days, our bespoke manufactured Level Access formers can be made up to 3000mm x 3000mm, and come with a standard horizontal gully (TSG52-116).

All we need are the following dimensions:


- A** Length of tray
- B** Width of tray
- C** Centre of waste from width edge
- D** Centre of waste from length of tray edge


Rebated edge: If a rebated edge is required, please write 'R' on the appropriate edge.



LEVEL AREAS

Need an extra bit of level area on your former? This might be because the next flooring joist is a little out of the way, or it might be because you want the joins on the wet area to be further away from the rest of the bathroom floor for added peace of mind - whatever the reason, we can manufacture a former to fit, simply let us know where you'd like an additional level area on your former.



- A** Length of failed area
- B** Width of failed area
- C** Centre of waste from width edge
- D** Centre of waste from length of tray edge
- E** Total length of floor (no more than 2440mm)
- F** Total width of floor (no more than 1220mm)
-  Flat Area of Former

OTL LEVEL ACCESS ACCESSORIES

SHOWER DOORS

Our range of universal shower door configurations have been designed to cater for any wet floor area.

Made from an attractive polycarbonate safety glazing, our half-height doors are 900mm as standard, and the full-height stand at 1835mm as standard.

FEATURES


- All doors supplied with +/- 15mm compensators
- Dual magnetic sealing strips
- Safety latches as standard
- Stainless steel

SHOWER RAILS




OTL LSR

L shape shower rail.



OTL USR


U shape shower rail.



OTL SSR


Straight shower rail.

GLASS SHOWER SCREENS




OTL OPT 1

Pair of single half height doors across a corner.



OTL OPT 2

Pair of bi-fold half height doors across a corner.



OTL OPT 3

Pair of single half height doors across an alcove.



SHOWER CURTAIN

OTL FORMERS FOR RESIN

FOR A SEAMLESS SHOWER AREA

OTL formers for resin are suitable for installation onto the majority of rigid sub-floors including concrete slabs, block and beam, concrete plank flooring and timber supported floors. The system, which has been designed with support from some of the leading names in resin floor technology, has proved to be quick and easy to install with the added bonus that the resin can be poured immediately after the former has been installed.

Available as a bespoke, made-to-order option only, our formers for resin also have extra reinforcement by using a full waste support which spans the full size of the former, for extra peace of mind and reduced movement to maintain the integrity of the resin.

BENEFITS OF A RESIN FLOOR

- Reinforced, tough and durable
- Chemical-resistant
- No need for tanking
- Range of outlet designs
- Stronger than concrete
- Suitable for heavy duty cleaning
- Reduced maintenance costs

HOW IT WORKS


The resin system forms a seamless, impervious, and easily cleaned surface which does not harbour bacteria. It can be steam cleaned, doesn't taint, and is resistant to chemicals. What's more, a resin quartz flooring system can be laid to follow falls and covered to form skirting detail. Did we mention it also comes in a wide range of colours and decorative finishes?

OTL RESIN COMPONENTS


OUR FORMERS FOR RESIN ARE AVAILABLE AS A BESPOKE ORDER, SO PLEASE CALL OUR SALES TEAM FOR ADVICE.

STYLE OF PRODUCT


Our formers for resin are suitable for use with the following OTL product styles:



LINEAR



SQUARE GRATING



NO NEED TO TANK!
THE RESIN ACTS AS A
WATERPROOF SEALANT.



OTL FORMERS FOR RESIN

HOW TO ORDER

Our resin formers are only available as a bespoke order, and to ensure you get the floor you need, it's best you give us a call. As we don't have stock size formers for resin available for next day delivery, please bear in mind that orders usually take 5-7 working days to be manufactured and delivered to site.

That said, here is what you will need to consider before you order a former for epoxy resin.

- 1 WHAT SIZE IS YOUR SHOWERING AREA GOING TO BE?
- 2 WOULD YOU LIKE A SQUARE OR LINEAR SHAPED DRAINAGE SYSTEM?
- 3 GIVE US A CALL! WE CAN TALK YOU THROUGH THE WHOLE PROCESS, ASSESS YOUR PROJECT, AND PROVIDE THE BEST SOLUTION FOR YOU.



OTL COMPLETE FLOORS

FOR ALL TYPES OF FLOOR FINISH

We are extremely pleased to offer two types of complete flooring system; the OTL Modular and the OTL Ultimate. A complete floor is the ideal option for bathroom pods, volumetric and other types of offsite manufacturers using modern methods of construction. Projects requiring in-situ construction of accessible bathrooms will also receive great benefits from adopting these systems.

We offer design advice, installation guidance and aftersales care and support.

OTL MODULAR

A COMPLETE, MADE-TO-MEASURE, INTERLOCKING FLOORING SYSTEM

The OTL Modular floor is the perfect choice for large flooring areas and can be made near enough any shape or size. All modular floor boards are installed using a double tongue and groove joint, and the floors are pre-prepared for on-site tanking and finishing.

FEATURES & BENEFITS


- Time-saving
- Bespoke sizes
- Mitigates risk

OTL ULTIMATE

A WHOLE FLOOR MADE FROM ONE PIECE OF MATERIAL

No need to lock sections together as this floor is ready to install straight away. The OTL Ultimate is manufactured with pre-made upstands, a pre-attached waste outlet, and has been pre-tanked so that only the floor finish needs to be applied on-site.

Not only does this system save time on site, creating a positive impact on tight construction programmes and budgets, it provides less risk associated with multiple trade installations.



FOR MORE INFORMATION GET IN TOUCH ON
01525 373 202 | INFO@ONTHELEVEL.CO.UK



OTL TANKING

ALL YOU NEED TO KNOW ABOUT TANKING



The complete floor area of the wet room MUST be tanked. The bottom of the walls must be tanked all the way around the room, turning up from the floor by a minimum of 100mm.

The OTL tanking system has been specifically developed to eliminate the problem of leakages from tiled wet room floor areas. The system can be applied to a range of surfaces, including:


- Wood
- Plasterboard
- MDF
- Concrete & screeds
- Most commonly used construction boards

Once applied, the OTL tanking can cope with structural movement in the floor and will not become brittle with age. The system is a solvent-free and silicone-compatible sealing compound for the flexible waterproofing of wet rooms.

The OTL Tanking system is compatible with all types of underfloor heating.

CALCULATING THE AREA TO WATERPROOF

All walls within the showering area (wet zone) and the splash area (600mm from the wet zone) must also be tanked from floor to ceiling.



THE EXTRA BITS - WHAT DO I NEED?

INTERNAL AND EXTERNAL CORNERS

Preformed internal and external corners are purpose made for detailing the jointing tape through a 90 degree angle. To calculate the number of corners required count the number of angles in your wet room.

LARGE TANKING SLEEVE

Large tanking sleeves are used to form a seal between the drain outlet and tanking material on the wet room floor.

SMALL TANKING SLEEVE

Small tanking sleeves are used to form a seal between the hot and cold water pipes where they penetrate through the wet room wall or floor.

OTL TANKING KITS

A KIT FOR EACH OF OUR WET ROOM SYSTEMS

The tanking kits come with everything you need to fully waterproof your wet room project.



OTL SQUARE TANKING KIT

Kit contents:

- 8kg compound
- 1 litre primer
- 10m tanking tape
- 1x large tanking mat
- Covers up to 8m²

OTL 0218SG



OTL LINEAR TANKING KIT

Kit contents:

- 8kg compound
- 1 litre primer
- 10m tanking tape
- 1x linear tanking mat
- Covers up to 8m²

OTL 0218LN

(Please choose this option when ordering Linear or SuperSlim style)



INFINITY I-LINE TANKING KIT

Kit contents:

- 8kg compound
- 1 litre primer
- 10m tanking tape
- 1x linear tanking mat
- 1x internal corner
- 1x small linear tanking mat
- Covers up to 8m²

OTL 0218INF

OTL TANKING ACCESSORIES

For larger rooms or projects you may need extra bits from our tanking kits. These can all be purchased separately, and our customer service team will be able to advise on any additional extras you may need.



PRIMER - 1 LITRE

A solvent free, highly absorbent primer for both porous and non-porous surfaces. Applied at the rate of 150g/m².

OTL 022



COMPOUND 8KG (8M²)

Solvent free, silicone compatible sealing membrane and adhesive supplied as a thick liquid applied in two generous layers at the rate of 300 - 400g/m².

OTL 022



SMALL TANKING SLEEVES

Pre-made with elasticated holes for water outlets.

OTL 026



INTERNAL/EXTERNAL CORNER

Internal - **OTL 028**

External - **OTL 029**



LARGE TANKING MAT

Large outlet sleeves are supplied for waste outlets.

OTL 027



TANKING TAPE

Fabric reinforced, elastic sealing membrane for wall and floor junctions and other areas subject to stress. OTL sealing tape is based on a cure non-plasticised acrylate dispersion with an undercoat fabric border along both sides.

OTL 023 (100mm x 50m roll)

OTL 024 (100mm x 10m roll)



LINEAR TANKING MAT

Self adhesive butyl tanking mat 1200mm long.

OTL BUT

FOR MORE INFO ON OUR TANKING PRODUCTS CALL

01525 373 202



ALGAS ANTI-LIGATURE GRATING

OTL HAS DEVELOPED A UNIQUE ANTI-LIGATURE AND TAMPER-PROOF GRATING CONVERSION KIT TO FIT ALL OTL FORMERS FOR VINYL SHEET FLOORING AND TILED FLOORS.

The OTL ALGAS, an anti-ligature drain cover and trap, has been specifically designed for wet areas with vinyl sheet flooring or tiled finishes which could be susceptible to tampering.

Manufactured for OTL, this unique stainless steel cover plate contains a layout of holes which makes tampering impossible.

Ideal for use in the following settings:

- Criminal justice system
- Care environments
- Facilities for vulnerable people
- High turnover areas, such as hotels

The cover plate is secured into the trap with screws that require a specific implement to be removed, the shape of which cannot be copied by taking an imprint. The OTL ALGAS has been approved by the Home Office and successfully installed in several custodial developments.




ANTI-LIGATURE GRATING CONVERSION KIT

OTL has developed a unique tamper-proof drain cover specifically for tiled floors. It is manufactured from 5mm stainless steel with a bead blasted finish and fitted with an M6 tamper-proof pinhead countersunk screw.


Measuring 155mm square, and with a flow rate of up to 40 LPM, it is compatible with the following OTL gullies:

- TSG1
- TSG2
- TSG50
- TSG52(116)
- USG1
- USG3



FOR MORE INFORMATION
GET IN TOUCH ON

01525 373 202



OTL GULLIES

INFINITY I-LINE



ST90-70B



ST90-HP2B



ST90-HPB



ST90-VB

SUPERSLIM



SUPERSLIM
HORIZONTAL
OUTLET



SUPERSLIM
VERTICAL
OUTLET

SQUARE GRATING



TSG2 BLK



TSG50 BLK



USG1



USG3

LINEAR



TSG2 LN



TSG50 LN



USG1 LN



USG3 LN

OTL GULLIES

LEVEL ACCESS



TSG2 WH



TSG50 WH



USG3 WH



FGTR CHROME TOP



TSG52 (116)



USG1 WH



ALGAS

RESIN



ST90-HPB



ST90-VB





OTL BESPOKE COLOUR MATCH

NYLON COATING FOR A SATIN OR GLOSS FINISH


Choose from a range of colours to suit your bathroom and style. Our nylon coating is robust, easy to clean, and available in a satin or gloss finish.

RESIN COATING FOR A MATT FINISH

Rilsan® Fine Powders are used primarily for metal coatings. They are characterised by their excellent durability, outstanding toughness, and impact and abrasion resistance. They are also weather and corrosion resistant.

EPOXY FOR AN EXTRA MATT FINISH

We can provide an extra matt finish by using an Epoxy industrial product which has excellent chemical resistance. This finish is particularly appropriate for high corrosion resistance applications and indoor decorative protection.



FOR MORE INFORMATION GET IN TOUCH ON

01525 373 202

INFO@ONTHELEVEL.CO.UK

OTL SECTION THROUGH

SUGGESTED INSTALLATIONS FOR TIMBER FLOORS


There are so many types of floor construction available, that these illustrations must be used solely as a guide. They are to show the basic build up for the installation of an OTL former onto a conventional timber suspended floor.

! It is the responsibility of the installer to ensure that all installations comply to the building regulations.


SECTION THROUGH KEY

- ① Floor Tiles
- ② OTL Tanking Membrane
- ③ OTL 24mm Former
- ④ False Floor
- ⑤ Drain Channel


OTL SQUARE GRATING ON A SUSPENDED FLOOR




OTL LINEAR CHANNEL ON A SUSPENDED TIMBER FLOOR




OTL INFINITY I-LINE LINEAR CHANNEL ON A SUSPENDED TIMBER FLOOR (INSTALLED ACROSS THE JOIST)




OTL INFINITY I-LINE LINEAR CHANNEL ON A SUSPENDED TIMBER FLOOR (INSTALLED PARALLEL TO THE JOIST)




OTL SUPERSLIM LINEAR CHANNEL ON A SUSPENDED TIMBER FLOOR



OTL LEVEL ACCESS FORMER FOR VINYL SHEET FLOORING ON A SUSPENDED TIMBER FLOOR



OTL RESIN FORMER FOR A LINEAR CHANNEL/ OTL SQUARE DRAIN ON A SUSPENDED TIMBER FLOOR



OTL SECTION THROUGH


SUGGESTED INSTALLATIONS FOR CONCRETE FLOORS

These illustrations must be used solely for guidance purposes. They are to show the basic build up for the installation of an OTL former onto a concrete floor.




It is the responsibility of the installer to ensure that all installations comply to the building regulations.


OTL INFINITY I-LINE LINEAR CHANNEL ON A CONCRETE SUB-FLOOR




OTL LINEAR CHANNEL ON A CONCRETE FLOOR




OTL LEVEL ACCESS FORMER ON A CONCRETE FLOOR




OTL INFINITY I-LINE LINEAR CHANNEL ON A CONCRETE SUB-FLOOR




OTL SQUARE GRATING ON A CONCRETE FLOOR



OTL SUPERSLIM CHANNEL ON A CONCRETE FLOOR



OTL RESIN FORMERS ON A CONCRETE FLOOR



OTL INFINITY I-LINE

STOCK FORMERS

FORMER	CODE
900 x 800 RH	INFFORM 9/8 RH8
900 x 800 LH	INFFORM 9/8 LH8
1200 x 800 RH	INFFORM 12/8 RH8
1200 x 800 LH	INFFORM 12/8 LH8
1500 x 800 RH	INFFORM 15/8 RH8
1500 x 800 LH	INFFORM 15/8 LH8
900 x 900 RH	INFFORM 9/9 RH9
900 x 900 LH	INFFORM 9/9 LH9
1200 x 900 RH	INFFORM 12/9 RH9
1200 x 900 LH	INFFORM 12/9 LH9
1500 x 900 RH	INFFORM 15/9 RH9
1500 x 900 LH	INFFORM 15/9 LH9

FORMER	CODE
900 x 1200 RH	INFFORM 9/12 RH12
900 x 1200 LH	INFFORM 9/12 LH12
1200 x 1200 RH	INFFORM 12/12 RH12
1200 x 1200 LH	INFFORM 12/12 LH12
1500 x 1200 RH	INFFORM 15/12 RH12
1500 x 1200 LH	INFFORM 15/12 LH12
800 x 1500 RH	INFFORM 8/15 RH15
800 x 1500 LH	INFFORM 8/15 LH15
900 x 1500 RH	INFFORM 9/15 RH15
900 x 1500 LH	INFFORM 9/15 LH15
1000 x 1500 RH	INFFORM 10/15 RH15
1000 x 1500 LH	INFFORM 10/15 LH15

BESPOKE FORMERS

FORMER	CODE
Up To 1800 x 1200 (2.160m ²)	INFBES1
Up To 1800 x 1800 (3.240m ²)	INFBES2
Up To 2100 x 2100 (4.41m ²)	INFBES3

TANKING

KIT	CODE
Infinity I-Line Tanking kit 8m ² (Includes one internal corner)	OTLO218INF

INFINITY I-LINE CHANNELS

CHANNEL	CODE
800mm RH Outlet	INF 800 RH
800mm LH Outlet	INF 800 LH
900mm RH Outlet	INF 900 RH
900mm LH Outlet	INF 900 LH
1200mm RH Outlet	INF 1200 RH
1200mm LH Outlet	INF 1200 LH
1500mm RH Outlet	INF 1500 RH
1500mm LH Outlet	INF 1500 LH
Bespoke Single Outlet up to 2000mm	INF SO Bespoke
Bespoke Dual Outlet up to 2400mm	INF DO Bespoke

OTL SUPERSLIM

STOCK 2-WAY FALL FORMERS

FORMER	CODE
900 x 900 (SS800)	SS2FORM 9/9
1000 x 800 (SS700)	SS2FORM 10/8
1000 x 900 (SS800)	SS2FORM 10/9
1000 x 1000 (SS900)	SS2FORM 10/10
1200 x 800 (SS700)	SS2FORM 12/8
1200 x 900 (SS800)	SS2FORM 12/9
1200 x 1000 (SS900)	SS2FORM 12/10
1350 x 900 (SS800)	SS2FORM 135/9
1350 x 1000 (SS900)	SS2FORM 135/10
1000 x 1350 (SS1200)	SS2FORM 10/135
1500 x 800 (SS700)	SS2FORM 15/8
1500 x 900 (SS800)	SS2FORM 15/9
1000 x 1500 (SS1200)	SS2FORM 10/15

STOCK 4-WAY FALL FORMERS

FORMER	CODE
900 x 900 (SS700)	SS4FORM 9/9
1000 x 800 (SS600)	SS4FORM 10/8
1000 x 900 (SS700)	SS4FORM 10/9
1000 x 1000 (SS800)	SS4FORM 10/10
1200 x 800 (SS600)	SS4FORM 12/8
1200 x 900 (SS700)	SS4FORM 12/9
1200 x 1000 (SS800)	SS4FORM 12/10
1350 x 900 (SS700)	SS4FORM 135/9
1350 x 1000 (SS800)	SS4FORM 135/10
1000 x 1350 (SS700)	SS4FORM 10/135
1500 x 800 (SS600)	SS4FORM 15/8
1500 x 900 (SS700)	SS4FORM 15/9
1000 x 1500 (SS1200)	SS4FORM 10/15
1000 x 1700 (SS1200)	SS4FORM 10/17
1000 x 1800 (SS1200)	SS4FORM 10/18

BESPOKE FORMERS

FORMER	CODE
Up To 1800 x 1200 (2.160m ²)	SSBES1
Up To 1800 x 1800 (3.240m ²)	SSBES2
Up To 2100 x 2100 (4.410m ²)	SSBES3

TANKING

TANKING KIT	CODE
Linear Tanking Kit 8m ²	OTL0218LN
Tanking tape 1200mm (self-adhesive membrane to linear channel) (internal corners sold separately)	OTLBUT

BESPOKE CHANNELS

CHANNEL	CODE
600mm	SS600
700mm	SS700
800mm	SS800
900mm	SS900
1000mm	SS1000
1200mm	SS1200



OTL SQUARE GRATING

STOCK FORMERS

FORMER	CODE
800 x 800	SGFORM8/8
900 x 900	SGFORM9/9
1050 x 1050	SGFORM1050
1200 x 900	SGFORM12/9
1200 x 1200	SGFORM12/12
1300 x 800	SGFORM13/8
1500 x 900	SGFORM15/9
1700 x 800	SGFORM17/8

BESPOKE FORMERS

FORMER	CODE
Up To 1800 x 1200 (2.160m ²)	SGBES1
Up To 1800 x 1800 (3.240m ²)	SGBES2
Up To 2100 x 2100 (4.410m ²)	SGBES3

GRATINGS

GRATE	CODE
<i>Brushed stainless steel gratings (standard)</i>	
Slotted Square Grating and Frame 150mm x 150mm x 5mm	SG001
Round Square Grating and Frame 150mm x 150mm x 5mm	SG002
Pebble Square Grating and Frame 150mm x 150mm x 5mm	SG003
Large Circle Square Grating and Frame 150mm x 150mm x 5mm	SG004
<i>Highly polished gratings (upgrade)</i>	
Slotted Square Grating and Frame 150mm x 150mm x 5mm	SGHP001
Round Square Grating and Frame 150mm x 150mm x 5mm	SGHP002
Sloped Square Grating and Frame 150mm x 150mm x 5mm	SGHP003
Large Circle Square Grating and Frame 150mm x 150mm x 5mm	SGHP004

GULLIES

GULLY	CODE
TSG50BLK Horizontal Outlet Gully	TSG50BLK
TSG2BLK Vertical Outlet Gully	TSG2BLK

TANKING

TANKING KIT	CODE
Square Grating 8m ² Tanking Kit (internal corners sold separately)	OTL0218SG



OTL LINEAR

STOCK FORMERS

FORMER	CODE
800 x 1000	LIN2FORM8/10
800 x 1200	LIN2FORM8/12
900 x 900	LIN2FORM9/9
900 x 1000	LIN2FORM9/10
900 x 1200	LIN2FORM9/12
900 x 1350	LIN2FORM9/135
900 x 1500	LIN2FORM9/15
1000 x 1000	LIN2FORM10/10
1000 x 1200	LIN2FORM10/12
1200 x 1000	LIN2FORM12/10
1200 x 1200	LIN2FORM12/12

TANKING

TANKING KIT	CODE
Linear Tanking Kit 8m ² (internal corners sold separately)	OTL0218LN

BESPOKE FORMERS

FORMER	CODE
Up To 1800 x 1200 (2.160m ²)	LINBES1
Up To 1800 x 1800 (3.240m ²)	LINBES2
Up To 2100 x 2100 (4.410m ²)	LINBES3

CHANNELS

CHANNEL	CODE
350mm	LIN300
650mm	LIN600
750mm	LIN700
850mm	LIN800
950mm	LIN900
1050mm	LIN1000

GRATING

GRATE	CODE
Athena	
300mm	OTLA3
600mm	OTLA6
700mm	OTLA7
800mm	OTLA8
900mm	OTLA9
1000mm	OTLA10
Casper	
300mm	OTLC3
600mm	OTLC6
700mm	OTLC7
800mm	OTLC8
900mm	OTLC9
1000mm	OTLC10

GRATE	CODE
Cadis	
300mm	OTLCD3
600mm	OTLCD6
700mm	OTLCD7
800mm	OTLCD8
900mm	OTLCD9
1000mm	OTLCD10

GULLIES

GULLY	CODE
TSG50LN	TSG50LN
TSG2LN	TSG2LN
TSG1LN	TSG1LN
USG1LN	USG1LN
USG3LN	USG3LN



OTL LEVEL ACCESS

STOCK FORMERS

FORMER	CODE
800 x 800	LAFORM8/8
900 x 900	LAFORM9/9
1050 x 1050	LAFORM1050
1150 x 1150	LAFORM1150
1200 x 800	LAFORM12/8
1200 x 900	LAFORM12/9
1200 x 1200	LAFORM1200
1300 x 800	LAFORM13/8
1300 x 900	LAFORM13/9
1300 x 1000	LAFORM13/10
1400 x 900	LAFORM14/9
1500 x 800	LAFORM15/8
1500 x 900	LAFORM15/9

FORMER	CODE
1500 x 1000	LAFORM15/10
1500 x 1500	LAFORM1500
1700 x 800	LAFORM17/8
1700 x 1700	LAFORM1700
1800 x 900	LAFORM18/9
1800 x 1200	LAFORM18/12
1800 x 1800	LAFORM1800

BESPOKE FORMERS

FORMER	CODE
Up To 1300 x 800 (1.05m ²)	LABES1
Up To 1500 x 1200 (1.80m ²)	LABES2
Up To 1500 x 1500 (2.25m ²)	LABES3
Up To 1800 x 1800 (3.24m ²)	LABES4

GULLIES

GULLY	CODE
TSG52-116	TSG52116
TSG2	TSG2WH
USG3	USG3WH
USG1	USG1WH





GET IN TOUCH

DROP US A LINE

We offer the best advice and support to all of our customers. If you have a question or are in need of a wet room solution our team can help.

CONTACT DETAILS



T 01525 373 202

E info@onthelevel.co.uk

E sales@onthelevel.co.uk

W www.onthelevel.co.uk

WHERE ARE WE?



Unit 7-9
Young's Industrial Estate
Stanbridge Road
Leighton Buzzard
Bedfordshire, LU7 4QB

